


Kelin Epoxy 係 一種 高品質 之 建築 材料， 具有 極佳 之 粘結 力 及 耐用 性。 此 材料 可 應用 於 各種 建築 工程， 如 牆面 修補、 地板 修補、 浴室 修補 等。 其 優點 包括 易於 施工、 乾燥 快、 且 能 提供 持久 之 保護。 此外， 此 材料 亦 具有 良好 之 抗污 及 防腐 性能， 適合 用於 廚房、 浴室 等 易受 污損 之 區域。 總之， Kelin Epoxy 係 一種 理想 之 建築 材料， 能 為 您的 建築 工程 提供 最佳 之 解決方案。

此 材料 係 由 專業 之 建築 師 及 工程師 所 推薦。 其 品質 符合 國際 標準， 且 價格 合理。 欲 知 更多 詳情， 請 洽 詢 本公司 之 銷售 人員。 電話： 0000 0000 F. 0000 0000 0000。



欲 知 更多 詳情， 請 洽 詢 本公司 之 銷售 人員。







01

Clean the tiles and keep it dry



02

Polish with tile wax except the glazed tile



03

Open & Watch, both sides can extruded meanwhile



04

Screw on the nozzle, put on the grout gun




05

Inclined cut the top of the nozzle in 45°



06

Squeeze out 60-80cm long grout in the forepart



07

Evenly squeeze out the tile agent along the gap



08

Press the grout with professional glue-press tools



09

Don't touch in 4-5 hours and remove excess grout then.



10

Keep the tiles dry in 24 hours

□□ □□ □□ □□



Two Component Caulking Gun



02



03



04



05



06



07



08



09

Cutter Knife

Pointing trowel

Brush

Forming Stick

Pointing Knife

Masking Tape

Stainless Steel Ball

Cleaning Awl

□□ □□



□□ □□



Creaming Machine Line



Testing Machine



Batching Production Line



Cooling Filling



Filling Machine Line



Film-coated Machine



Real Material Stock



Stock

□□

