

Kelin Waterborne ʘʘʘ ʘʘʘʘ ʘʘ ʘʘ ʘʘ ʘʘʘʘʘ. ʘʘʘ ʘʘʘ ʘʘʘ ʘʘʘ ʘ ʘʘʘ ʘʘ ʘʘ ʘʘ ʘʘ ʘʘʘʘʘ. ʘʘ ʘʘʘʘ ʘʘʘʘ ʘʘ ʘʘ ʘʘ ʘʘ ʘʘʘʘ ʘʘʘʘ, ʘʘʘ ʘʘʘ ʘʘʘ ʘʘʘ ʘʘʘʘ ʘʘʘʘ. ʘʘʘ ʘʘ, ʘʘʘ ʘʘʘʘʘʘʘ ʘ ʘʘʘʘʘʘʘ. ʘ ʘʘ ʘʘʘ ʘʘʘ ʘʘʘ ʘʘ ʘʘ ʘʘʘʘ ʘʘʘʘʘʘʘ. ʘʘʘʘ ʘʘ ʘ ʘʘ ʘʘʘ ʘʘʘʘʘʘ ʘʘʘʘʘʘ ʘʘʘʘ ʘʘʘ ʘʘ ʘʘʘʘ ʘʘʘʘ.

ʘʘʘ ʘʘ ʘʘʘ ʘʘʘʘ ʘ ʘʘʘ **M. anufacturer.** ʘʘʘ ʘʘ, ʘ, ʘʘ, ʘʘʘ ʘʘʘʘ ʘʘ ʘʘ ʘʘ, ʘʘ, ʘʘ ʘʘ ʘʘʘʘʘ ʘʘʘ ʘʘʘ ʘ ʘ ʘʘ ʘ ʘ ʘʘʘʘ. ʘʘ ʘʘʘ ʘʘ ʘʘʘʘ, ʘʘʘ ʘʘʘʘʘʘʘ ʘʘ ʘʘ ʘʘʘ ʘʘʘʘʘʘ. ʘʘ ʘʘ ʘʘ ʘ ʘʘ ʘʘʘ ʘ ʘʘ ʘʘʘ ʘʘʘʘʘ ʘʘʘ ʘʘ ʘʘʘʘ ʘ ʘʘ ʘʘʘ ʘʘ ʘʘ ʘʘʘ ʘʘ ʘʘ ʘʘʘʘʘ ʘʘʘʘʘ. ʘʘʘʘʘ ʘʘ ʘʘ ʘʘʘʘʘʘʘ - [ʘʘʘʘʘ ʘʘʘʘʘ ʘʘʘʘ](#) ʘʘ.



ʘʘʘ ʘʘʘʘʘ ʘʘʘ ʘʘ. ʘʘ ʘʘʘ ʘʘ ʘʘʘ ʘʘʘʘʘ.







01 Clean the tiles and keep it dry



02 Polish with tile wax except the glazed tile



03 Open & Watch, both sides can extruded meanwhile



04 Screw on the nozzle, put on the grout gun



05 Inclined cut the top of the nozzle in 45°



06 Squeeze out 60-80cm long grout in the forepart



07 Evenly squeeze out the tile agent along the gap



08 Press the grout with professional glue-press tools



09 Don't touch in 4-5 hours and remove excess grout then.



10 Keep the tiles dry in 24 hours

□□ □□ □□ □□



01 Cutter Knife



02 Pointing trowel



03 Brush



04 Rainbow Scraper



05 Stirring Knife




06 The sponge



07 Scouring Pad

□□ □□



□□ □□



Creaming Machine Line



Testing Machine



Batching Production Line



Cooling Filling



Filling Machine Line



Film-coated Machine



Real Material Stock



Stock

□□

