

Kelin Waterborne Tile Grout 係 一種 環保 無 毒 無 異 味 之 塗 料 。 適 合 於 各 種 瓷 磚 之 鋪 設 。 其 具 有 優 越 之 耐 磨 損 及 耐 污 染 性 能 ， 且 能 保 持 瓷 磚 之 光 澤 及 美 觀 。 適 用 於 衛 浴 間 、 廚 房 、 地 面 、 牆 面 等 各 種 場 所 。 其 具 有 優 越 之 耐 磨 損 及 耐 污 染 性 能 ， 且 能 保 持 瓷 磚 之 光 澤 及 美 觀 。 適 用 於 衛 浴 間 、 廚 房 、 地 面 、 牆 面 等 各 種 場 所 。 其 具 有 優 越 之 耐 磨 損 及 耐 污 染 性 能 ， 且 能 保 持 瓷 磚 之 光 澤 及 美 觀 。 適 用 於 衛 浴 間 、 廚 房 、 地 面 、 牆 面 等 各 種 場 所 。



歡迎 垂 詢 。 詳 情 請 洽 各 經 銷 商 。



- Pure White
- Ivory
- Lemon Gold
- Pearl Gold
- Light Gold
- Lime Gold
- Amber Gold
- Nobility Gold
- Luxury Gold
- Shiny Gold
- Dazzle Gold
- Moonlight Silver
- Shiny Silver
- Dazzle Silver
- Light Gray
- Noble Gray
- Silver Gray
- Champaign Gold
- Bronze
- Rose Gold
- Coffee Brown
- Black Pearl

□□ □ □ □□□□ □□□□□□





01  
Clean the tiles and keep it dry



02  
Polish with tile wax except the glazed tile



03  
Open & Watch, both sides can extruded meanwhile



04  
Screw on the nozzle, put on the grout gun




05  
Inclined cut the top of the nozzle in 45°



06  
Squeeze out 60-80cm long grout in the forefront



07  
Evenly squeeze out the tile agent along the gap



08  
Press the grout with professional glue-press tools



09  
Don't touch in 4-5 hours and remove excess grout then.



10  
Keep the tiles dry in 24 hours

□□ □□ □□ □□



Two Component Caulking Gun



Cutter Knife

Pointing trowel

Brush

Forming Stick

Perching Knife

Masking Tape

Stainless Steel Ball

Cleaning Awl

□□ □□



□□ □□



□□ □□ □□



□□□ □□□



□□ □□ □□



□□ □□□



□□ □□ □□



□□ □□ □□



□□ □□ □□



□□ □□ □□

□□

