

2023 年 1 月 1 日 起 施 行 的 《 瓷 磚 標 准 》 已 經 實 施 。 這 是 我 國 瓷 磚 標 准 的 歷 史 性 轉 折 點 。 新 標 准 的 實 施 將 有 利 於 促 進 我 國 瓷 磚 行 業 的 高 質 量 發 展 ， 提 升 產 品 質 量 和 競 爭 力 。 我 們 將 繼 續 關 注 標 准 的 實 施 情 況 ， 為 大 家 提 供 最 新 的 標 准 信 息 。 標 准 編 號 為 GB 6953-2023。



2023 年 1 月 1 日 起 施 行 的 《 瓷 磚 標 准 》 已 經 實 施 。 這 是 我 國 瓷 磚 標 准 的 歷 史 性 轉 折 點 。



□□ □□ □ □□□ □□





01 Clean the tiles and keep it dry



02 Polish with tile wax except the glazed tile



03 Open & Watch, both sides can extruded meanwhile



04 Screw on the nozzle, put on the grout gun



05 Inclined cut the top of the nozzle in 45°



06 Squeeze out 60-80cm long grout in the forepart



07 Evenly squeeze out the tile agent along the gap



08 Press the grout with professional glue-press tools



09 Don't touch in 4-5 hours and remove excess grout then.



10 Keep the tiles dry in 24 hours

□□□□ □□□ □□□ □□



Two Component Caulking Gun



02 Cutter Knife




03 Pointing trowel



04 Brush



05 Forming Stick



06 Perching Knife



07 Masking Tape



08 Stainless Steel Ball



09 Cleaning Awl

□□ □□



□□ □□



□□ □□ □□



□□□



□□ □□ □□



□□ □□□



□□ □□ □□



□□ □□□



□□ □□ □□



□□

□□

