

මෙම ටයිල් ආවේණිකව පාවිච්චි කළ හැකි බොහෝ තැන්වලට යොදා ගත හැකිය. උදාහරණයක් ලෙස, මෙම ටයිල්, මුහුණ, බිම, පරිදි, ටයිල් ආවේණිකව පාවිච්චි කළ හැකි බොහෝ තැන්වලට යොදා ගත හැකිය. මෙම ටයිල්, බිම ටයිල් ආවේණිකව පාවිච්චි කළ හැකි බොහෝ තැන්වලට යොදා ගත හැකිය. මෙම ටයිල්, බිම ටයිල් ආවේණිකව පාවිච්චි කළ හැකි බොහෝ තැන්වලට යොදා ගත හැකිය. මෙම ටයිල්, බිම ටයිල් ආවේණිකව පාවිච්චි කළ හැකි බොහෝ තැන්වලට යොදා ගත හැකිය.



මෙම ටයිල් ආවේණිකව පාවිච්චි කළ හැකි බොහෝ තැන්වලට යොදා ගත හැකිය.



□□ □□ □ □□□ □□





Clean the tiles and keep it dry



Polish with tile wax except the glazed tile



Open & Watch, both sides can extruded meanwhile



Screw on the nozzle, put on the grout gun



Inclined cut the top of the nozzle in 45°



Squeeze out 60-80cm long grout in the forepart




Evenly squeeze out the tile agent along the gap



Press the grout with professional glue-press tools



Don't touch in 4-5 hours and remove excess grout then.



Keep the tiles dry in 24 hours

□□□□ □□□ □□□ □□



Two Component Caulking Gun



Cutter Knife



Pointing trowel



Brush



Forming Stick



Perching Knife



Masking Tape



Stainless Steel Ball



Cleaning Awl

□□ □□





□□ □□



□□ □□ □□



□□□



□□ □□ □□



□□ □□□



□□ □□ □□



□□ □□□



□□ □□ □□



□□

□□

