

Kelin Waterborne 是種 環保 的 瓷 磚 膠。 這 種 膠 水 是 用 水 稀 釋 的 ， 不 會 有 異 味 ， 且 易 於 清 潔 。 它 能 有 效 地 粘 合 各 種 瓷 磚 ， 且 能 保 持 長 久 的 粘 合 力 。 這 種 膠 水 是 一 種 環 保 的 選 擇 ， 能 為 您 的 家 庭 帶 來 更 多 的 安 全 和 健 康 。

這 種 膠 水 可 以 用 於 各 種 瓷 磚 的 鋪 設 ， 如 地 面 瓷 磚 、 牆 面 瓷 磚 等 。 它 能 有 效 地 粘 合 各 種 瓷 磚 ， 且 能 保 持 長 久 的 粘 合 力 。 這 種 膠 水 是 一 種 環 保 的 選 擇 ， 能 為 您 的 家 庭 帶 來 更 多 的 安 全 和 健 康 。
 這 種 膠 水 可 以 用 於 各 種 瓷 磚 的 鋪 設 - [Kelin C. eramic](#) 是 一 種 環 保 的 選 擇 。



這 種 膠 水 可 以 用 於 各 種 瓷 磚 的 鋪 設 。





01 Clean the tiles and keep it dry



02 Polish with tile wax except the glazed tile



03 Open & Watch, both sides can extruded meanwhile



04 Screw on the nozzle, put on the grout gun



05 Inclined cut the top of the nozzle in 45°



06 Squeeze out 60-80cm long grout in the forefront



07 Evenly squeeze out the tile agent along the gap



08 Press the grout with professional glue-press tools



09 Don't touch in 4-5 hours and remove excess grout then.



10 Keep the tiles dry in 24 hours

□□ □□ □□ □□



Cutter Knife



Pointing trowel



Brush



Rainbow Scraper



Stirring Knife




The sponge



Scouring Pad

□□ □□



□□ □□



Creaming Machine Line



Testing Machine



Batching Production Line



Cooling Filling



Filling Machine Line



Film-coated Machine



Real Material Stock



Stock

□□

