

Kelin Waterborne Tile Grout 係 水 基 塗 料 係 專 為 鋪 設 瓷 磚 而 研 發 之 產 品 。 其 特 點 是 乾 燥 快 速 、 結 實 耐 磨 、 易 於 施 工 且 無 異 味 。 該 產 品 能 有 效 防 止 污 垢 積 累 ， 且 具 有 極 強 之 粘 結 力 ， 能 有 效 防 止 瓷 磚 脫 落 之 虞 。 該 產 品 係 採 用 最 優 質 之 原 料 製 成 ， 且 經 過 嚴 格 之 質 量 控 制 ， 能 保 證 其 施 工 效 率 及 產 品 質 量 。 該 產 品 係 廣 大 工 程 師 及 家 庭 主 人 之 首 選 。

該 產 品 可 用 於 各 種 瓷 磚 之 鋪 設 ， 如 牆 面 瓷 磚 、 地 面 瓷 磚 等 。 其 特 點 是 施 工 簡 便 ， 且 能 有 效 防 止 污 垢 積 累 。 該 產 品 係 採 用 最 優 質 之 原 料 製 成 ， 且 經 過 嚴 格 之 質 量 控 制 ， 能 保 證 其 施 工 效 率 及 產 品 質 量 。 該 產 品 係 廣 大 工 程 師 及 家 庭 主 人 之 首 選 。



該 產 品 係 採 用 最 優 質 之 原 料 製 成 ， 且 經 過 嚴 格 之 質 量 控 制 ， 能 保 證 其 施 工 效 率 及 產 品 質 量 。

- Gray 1#
- Gray 2#
- Gray 3#
- Gray 4#
- Gray 5#
- Gray 6#
- Gray 7#
- Gray 8#
- Gray 9#
- Cement Gray
- Dull Gray
- Silver Gray
- Metal Gray
- Luxury Silver
- Glacier White
- Calaeatta
- Pearl Gold
- Slate Gray
- Terra Brown
- Greyish Green
- Yellow Gray
- Soft Khaki
- Yellowish Brown
- Olive Brown
- Brownness
- Dark Brown
- Reddish Brown
- Rock Bslack



□ □ □ □ □ □ □ □ □ □







01 Clean the tiles and keep it dry



02 Polish with tile wax except the glazed tile



03 Open & Watch, both sides can extruded meanwhile



04 Screw on the nozzle, put on the grout gun



05 Inclined cut the top of the nozzle in 45°



06 Squeeze out 60-80cm long grout in the forepart



07 Evenly squeeze out the tile agent along the gap



08 Press the grout with professional glue-press tools



09 Don't touch in 4-5 hours and remove excess grout then.



10 Keep the tiles dry in 24 hours

□□ □□ □□ □□



Two Component Caulking Gun



02 Cutter Knife



03 Pointing trowel



04 Brush



05 Forming Stick



06 Pointing Knife



07 Masking Tape



08 Stainless Steel Ball



09 Cleaning Awl

□□ □□



□□ □□



Creaming Machine Line



Testing Machine



Batching Production Line



Cooling Filling



Filling Machine Line



Film-coated Machine



Real Material Stock



Stock

□□

