

Kelin Epoxy 係 雙組份 系統 係 專為 填補 磚縫 而 設計 之 產品。 此 填補 膏 係 採用 高品質 樹脂 及 填料 配製 而成。 它 具有 堅硬 耐用 之 特點， 且 易於 施工 及 清潔。 此 填補 膏 可 應用 於 各種 不同 之 磚種， 包括 瓷磚、 玻璃 磚、 大理石 磚 等。 此 填補 膏 之 顏色 可 與 磚 色 配合， 使 填補 處 與 磚 面 融為 一體。 此 填補 膏 之 優點 包括： 堅硬 耐用、 易於 施工、 易於 清潔、 顏色 可 與 磚 色 配合、 填補 處 與 磚 面 融為 一體、 可 防止 水 滲入 磚 下、 可 防止 污漬 滲入 磚 縫。 此 填補 膏 之 應用 範圍 非常 廣泛， 包括： 廁所、 浴室、 廚房、 客廳、 走廊、 樓梯、 天台、 露台、 花園、 泳池、 噴泉、 碼頭、 橋樑、 牆壁、 天花板、 門窗、 傢俬、 汽車、 飛機、 船舶、 建築 工地 等。 此 填補 膏 之 價格 亦 非常 合理， 且 可 為 您 節省 大量 之 維修 及 保養 費用。 此 填補 膏 係 您 裝修 工程 中 不可或缺 之 好幫手。



此 填補 膏 係 雙組份 系統 係 專為 填補 磚縫 而 設計 之 產品。







01 Clean the tiles and keep it dry



02 Polish with tile wax except the glazed tile



03 Open & Watch, both sides can extruded meanwhile



04 Screw on the nozzle, put on the grout gun



05 Inclined cut the top of the nozzle in 45°



06 Squeeze out 60-80cm long grout in the forepart




07 Evenly squeeze out the tile agent along the gap



08 Press the grout with professional glue-press tools



09 Don't touch in 4-5 hours and remove excess grout then.



10 Keep the tiles dry in 24 hours

□□ □□ □□ □□



Two Component Caulking Gun



02 Cutter Knife



03 Pointing trowel



04 Brush



05 Forming Stick



06 Perching Knife



07 Masking Tape



08 Stainless Steel Ball



09 Cleaning Awl

□□ □□



□□ □□



□□ □□ □□



□□ □□ □□



□□ □□ □□



□□ □□ □□



□□ □□ □□



□□ □□ □□



□□ □□ □□



□□ □□ □□

□□

