

Kelin 产品为卫生间、厨房、浴室、露台、阳台、大堂、走廊、办公室、酒店、商场、学校、医院、工厂、仓库、户外等场所提供高品质的瓷砖解决方案。我们的产品具有耐磨、防滑、易清洁、耐腐蚀等特点，能够满足各种环境的需求。我们提供多种规格、花色和表面处理方式的瓷砖，以满足不同客户的个性化需求。我们拥有完善的生产线和质量管理体系，确保产品的高品质和稳定性。我们提供专业的售前咨询和售后服务，为客户提供一站式解决方案。

我们的产品规格齐全，厚度为 8-12 mm，重量为 20-25 kg/m<sup>2</sup>，抗压强度为 60-70 MPa，吸水率为 0.5-1.0%。我们提供多种规格、花色和表面处理方式的瓷砖，以满足不同客户的个性化需求。我们拥有完善的生产线和质量管理体系，确保产品的高品质和稳定性。我们提供专业的售前咨询和售后服务，为客户提供一站式解决方案。



我们提供多种规格、花色和表面处理方式的瓷砖，以满足不同客户的个性化需求。我们拥有完善的生产线和质量管理体系，确保产品的高品质和稳定性。我们提供专业的售前咨询和售后服务，为客户提供一站式解决方案。

Gray 1#

Gray 2#

Gray 3#

Gray 4#

Gray 5#

Gray 6#

Gray 7#

Gray 8#

Gray 9#

Cement Gray

Dull Gray

Silver Gray

Metal Gray

Luxury Silver

Glacier White

Calaeatta

Pearl Gold

Slate Gray

Terra Brown

Greyish Green

Yellow Gray

Soft Khaki

Yellowish Brown

Olive Brown

Brownness

Dark Brown

Reddish Brown

Rock Bslack







01 Clean the tiles and keep it dry



02 Polish with tile wax except the glazed tile



03 Open & Watch, both sides can extruded meanwhile



04 Screw on the nozzle, put on the grout gun



05 Inclined cut the top of the nozzle in 45°



06 Squeeze out 60-80cm long grout in the forepart



07 Evenly squeeze out the tile agent along the gap



08 Press the grout with professional glue-press tools



09 Don't touch in 4-5 hours and remove excess grout then.



10 Keep the tiles dry in 24 hours

□□ □□ □□ □□



Two Component Caulking Gun



02 Cutter Knife



03 Pointing trowel



04 Brush



05 Forming Stick



06 Pointing Knife



07 Masking Tape



08 Stainless Steel Ball



09 Cleaning Awl

□□ □□



□□□□



Creaming Machine Line



Testing Machine



Batching Production Line



Cooling Filling



Filling Machine Line



Film-coated Machine



Real Material Stock



Stock

□□

