

Kelin Waterborne 是種 環保 的 瓷磚 膠漿。 適合 室內 外 各種 瓷磚 鋪設。 其 優點 包括 易 於 施工、 乾燥 快、 且 具有 良好 的 防水 性能。 此外， 它 還 具有 良好 的 粘結 力， 能 夠 有效 防止 瓷磚 脫落。 因此， 它是 建築 行業 中 非常 重要 的 材料。

除了 瓷磚 鋪設， 它 還 可用 於 牆面 鋪貼、 窗台 鋪設、 以及 各種 瓷磚 修補。 其 優點 包括 易 於 施工、 乾燥 快、 且 具有 良好 的 防水 性能。 此外， 它 還 具有 良好 的 粘結 力， 能 夠 有效 防止 瓷磚 脫落。 因此， 它是 建築 行業 中 非常 重要 的 材料。 Kelin. [www.kelin.com](#)



是種 環保 的 瓷磚 膠漿。 適合 室內 外 各種 瓷磚 鋪設。

- Gray 1#
- Gray 2#
- Gray 3#
- Gray 4#
- Gray 5#
- Gray 6#
- Gray 7#
- Gray 8#
- Gray 9#
- Cement Gray
- Dull Gray
- Silver Gray
- Metal Gray
- Luxury Silver
- Glacier White
- Calaeatta
- Pearl Gold
- Slate Gray
- Terra Brown
- Greyish Green
- Yellow Gray
- Soft Khaki
- Yellowish Brown
- Olive Brown
- Brownness
- Dark Brown
- Reddish Brown
- Rock Bslack



□□ □ □ □□□□ □□□□□□





01 Clean the tiles and keep it dry



02 Polish with tile wax except the glazed tile



03 Open & Watch, both sides can extruded meanwhile



04 Screw on the nozzle, put on the grout gun



05 Inclined cut the top of the nozzle in 45°



06 Squeeze out 60-80cm long grout in the forefront



07 Evenly squeeze out the tile agent along the gap



08 Press the grout with professional glue-press tools



09 Don't touch in 4-5 hours and remove excess grout then.



10 Keep the tiles dry in 24 hours

□□ □□ □□ □□



01 Cutter Knife



02 Pointing trowel



03 Brush



04 Rainbow Scraper



05 Stirring Knife




06 The sponge



07 Scouring Pad

□□ □□



□□ □□



Creaming Machine Line



Testing Machine



Batching Production Line



Cooling Filling



Filling Machine Line



Film-coated Machine



Real Material Stock



Stock

□□

