Kelin Waterborne Tile Graut. . , 벽, 바닥, , 누수, . . : 주방, , . , , , . . . , .

. .

Pure White

Ivory

Lemon Gold

Pearl Gold

Light Gold

Lime Gold

Amber Gold

Nobility Gold

Luxury Gold

Shiny Gold

Dazzle Gold

Moonlight Silver

Shiny Silver

Dazzle Silver

Light Gray

Noble Gray

Silver Gray

Champaign Gold

Bronze

Rose Gold

Coffee Brown

Black Pearl

BATHROOM
The wall and floor tiles
The washbasin edge
The door edge
The bathtub edge

GLAZED WINDOW
The window edge
The glass gap

TOLIET
The wall and floor tiles
The closestool edge
The washbowl edge
The door edge

KITCHEN
The wall and floor tiles
The range hood edge
The kitchen top edge
The edge of the sink
The door edge

BEDROOM
The wall and floor tiles
The door edge

LIVING ROOM
The wall and floor tiles
The TV backdrop wall
The door edge

BALCONY
The wall and floor tiles
The door edge
The glass gap

□□□ □□ □□

|				
01 Clean the tiles and keep it dry	**02** Polish with tile wax except the glazed tile	**03** Open & Watch, both sides can extruded meanwhile	**04** Screw on the nozzle, put on the grout gun	**05** Inclined cut the top of the nozzle in 45°
06 Squeeze out 60-80cm long grout in the forepart	**07** Evenly squeeze out the tile agent along the gap	**08** Press the grout with professional glue-press tools	**09** Don't touch in 4-5 hours and remove excess grout then.	**10** Keep the tiles dry in 24 hours

01

Two Component Caulking Gun

Cutter Knife	Pointing trowel	Brush	Forming Stick	Perching Knife	Masking Tape	Stainless Steel Ball	Cleaning Awl
02	03	04	05	06	07	08	09

1	Independent R&D team
2	Australia Joint R&D
3	SGS & CMA Dual Environmental Certification
4	One - Stop Full Line of Tile Grout Global Manufacturer
5	14 years Production & Construction Experience

생산 설비

원료 반응 장치	반제품 반응로	진공 유화 기계	충전 기계
포장 라인 기계	제품 검사대	원료 저장 탱크	창고

창고